

T 8 N

R 4 E



**Office of the Monroe County Surveyor**  
**Trohn Enright-Randolph**

---

Health Services Building  
119 West 7<sup>th</sup> Street  
Bloomington, IN 47404  
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Brown County are stored on microfilm Reel 5923 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at [SurveyorsOffice@co.monroe.in.us](mailto:SurveyorsOffice@co.monroe.in.us) to request a higher quality image of any specific page.


The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph  
Monroe County Surveyor





Township N. VIII North, Range N. IV East 2nd Mer. Surveyed by A. C. Looker, 1819.

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c.	Between Sections	Quality &c.	Between Sections	Quality &c.
35 & 36	Rolling flat. North & rolling. W. Oak. Beech. D. Oak. Sugar. Dogwood.	33 & 34	Hilly & poor. Chas. Oak. W. Oak. Hickory.	31 & 32	Rolling. W. Oak. Beech. Hickory. Ash. Dogwood.
25 & 36	East & same. West & same.	25 & 36	Same.	29 & 32	Same.
25 & 26	Hilly & covered. Hickory. Dogwood. Hickory. Red Oak. Sugar. Dogwood.	25 & 26	Same.	30 & 31	Hilly. W. Oak. Beech. Gum. Dogwood.
24 & 25	Same. 2nd rate.	22 & 27	Same. (uncommonly hilly).	29 & 30	Rolling. timber. Same.
23 & 24	Rolling. 2nd rate. W. Oak. Beech. Hickory. Sugar. Dogwood.	21 & 22	Same.	20 & 29	Hilly. timber. Same.
13 & 24	Same.	15 & 22	Same.	19 & 30	Same.
13 & 14	Same.	15 & 16	Same.	19 & 20	Mountainous. Large precipitous. Deep & Gallies & Stony.
12 & 13	Same.	10 & 15	Same.	17 & 20	Same.
11 & 12	Same.	9 & 10	Same.	18 & 19	Same.
1 & 12	Same. (East & level).	31 & 10	Same. (extremely hilly & stony).	17 & 18	Level along the branch. W. Oak. Beech. Hickory &c.
1 & 2	Hilly & high. Poor. C. Oak. W. Oak. Hickory. Hickory. Dogwood.	3 & 4	Same.	8 & 17	Uncommonly hilly & stony. W. Oak. Beech. Hickory &c.
34 & 35	Rolling. W. Oak. Beech. Hickory.	32 & 33	Rolling. W. Oak. Beech. Hickory. Dogwood &c.	7 & 18	Rolling. W. Oak. Beech. Gum.
24 & 25	Rolling. W. Oak. Beech. Hickory. Dogwood. Hickory.	28 & 33	Hilly. Beech. Chas. Oak. D. Oak. Hickory. Sugar. Dogwood &c.	7 & 8	Hilly. W. Oak. Beech. Dogwood. Hickory.
23 & 24	Hilly & very hilly. W. Oak. Beech. Hickory. Dogwood &c.	28 & 29	Same.	5 & 8	Same.
22 & 23	Same.	21 & 28	Same.	6 & 7	Same.
14 & 22	Same.	20 & 21	Same.	5 & 6	Same.
14 & 15	Same.	16 & 21	Same. (rocky).		
14 & 16	Same.	16 & 17	Same. (two huge hills. very high).		
10 & 11	Same. (Extremely hilly & poor).	9 & 16	Same. (uncommonly hilly & high. one hill the top of spine &c).		
2 & 11	Same. (This mile is composed of two huge hills).	8 & 9	Same.		
2 & 3	Rolling. timber. Same.	4 & 9	Same.		
		4 & 5	Same.		



# Township N. 8 North, Range N. 4 East 2<sup>nd</sup> Mer.

Range line	Var. 6° 45' E.	80.00	Set post corner of Sec. 12 & 13
North Between Ranges 4 & 5 E. Township 8 North			14 S 66 E 8
On the East Side of Sec. 36			N. Oak 40 East 11
7.83 A. Beech 20 in. diam.			Rolling land. Beech. Oak. Ang. 5 <sup>th</sup> & 6 <sup>th</sup> Brains
40.00 gr. Sec. corner a Beech	15 in. dia in corner		North On the East Side of Sec. 12
	Beech 14 S 28 E 33		40.00 gr. Sec. corner Beech 12 S 12 N 10
	do 22 S 18 N 8		do 8 S 57 E 33
80.00 Set post corner of Sec. 25 & 36			52.03 A. Beech 18 in. diam.
	Beech 7 S 48 E 10		62.55 A. Beech 5 lks East
	do 16 S 78 N 14		80.00 Set post corner of Sec. 18 & 12
Sand level. Beech. Oak. Ang. 5 <sup>th</sup> & 6 <sup>th</sup> Brains			N. Oak 10 S 46 E 17
North On the East Side of Sec. 25			Spine 20 S 85 E 24
24.32 A. Beech 18 in. diam.			Sand level. Beech. Oak. Hickory. Ang. 5 <sup>th</sup> & 6 <sup>th</sup> Brains
40.00 gr. Sec. corner	Beech 7 S 25 N 24		North On the East Side of Sec. 1
	Dogwood 6 S 21 E 15		14.80 A. Beech 24 in. diam.
63.82 A. N. Oak 36 in. diam.			32.59 A. Beech 6 lks East
78.10 A. Beech 6 lks S. W.			40.00 gr. Sec. corner N. Oak 14 S 2 E 19
80.00 Set post corner of Sec. 24 & 25			Beech 12 S 75 E 44
	Beech 13 S 34 E 20		85.00 Set post corner of Ranges 4 & 5 E. Town
	N. Oak 18 S 73 N 10		80 ft. Sections 1, 6, 31, 36
Rolling land. Beech. Oak. Ang. 5 <sup>th</sup> & 6 <sup>th</sup> Brains			Beech 14 S 23 E 8
North On the East Side of Sec. 24			do 10 S 54 E 10
22.82 A. Beech 20 in. diam.			Rolling land. Beech. Oak. Ang. 5 <sup>th</sup> & 6 <sup>th</sup> Brains. Sec. 3, 18, 19
40.00 gr. Sec. corner	Beech 12 S 51 N 20		Township line On Random
	do 10 S 50 E 38		West Between Towns 7 & 8 in Range 4
46.59 A. Beech 18 in. diam.			2.35 A. Beech 50 lks S. E.
80.00 Set post corner of Sec. 13 & 24			40.00 Temporary gr. Sec. post
	Hickory 13 S 14 E 18		80.00 Set temporary corner of Sec. 35 & 36
	Beech 14 S 35 N 12		West Random line continued
Sand & timber same			40.00 Temporary gr. Sec. post
North On the East Side of Sec. 13			80.00 Set temporary corner of Sec. 32 & 33
10.10 A. Beech 22 in. diam.			West Random line continued
13.00 A. Beech 6 lks East			33.60 A. Beech 6 lks S. W.
18.10 A. Beech 20 lks East			40.00 Temporary gr. Sec. post
40.00 gr. Sec. corner	Beech 20 S 27 N 26		78.80 A. Beech 8 lks S. W.
	do 8 S 1 E 18		80.00 Set temporary corner of Sec. 33 & 34

West Random line continued	80.00	Set post corner of Sec. 34 & 35
40.00 Temporary gr. Sec. post		N. Oak 14 S 35 N 6
80.00 Set temporary corner of Sec. 32 & 33		do 12 S 21 E 19
West Random line continued		
5.40 A. Beech 6 lks South		East On the South Side of Sec. 35
37.40 A. Beech 5 lks S. E.		40.00 gr. Sec. corner N. Oak 8 S 66 E 14
40.00 Temporary gr. Sec. post		do 12 S 81 N 50
80.00 Set temporary corner of Sec. 31 & 32		80.00 Set post corner of Sec. 35 & 36
West Random line continued		do Oak 30 S 27 N 5
40.00 Temporary gr. Sec. post		N. Oak 14 S 56 E 17
80.00 Set temporary post for corner of Towns 7 & 8		East On the South Side of Sec. 33
in Range 4 & 5 in Range 3		40.00 gr. Sec. corner N. Oak 15 S 82 E 20
83.50 Set post for corner of Towns 7 & 8 in Range 4		do 24 S 31 N 22
& Towns 7 & 8 in Range 3 corner of Sec. 1 in Town 8		80.00 Set post corner of Sec. 33 & 34
N. Oak 3 E. Sec. 36 in 7 & 8 S. Oak 6 in Town		Spine Oak 24 S 82 E 39
N. Oak 4 E. Sec. 12 in 7 & 8 S. Oak 4 E		N. Oak 18 S 31 N 36
		East On the South Side of Sec. 36
	N. Oak 24 S 64 E 41	40.00 gr. Sec. corner Hickory 13 S 78 E 10
	Dogwood 4 S 63 N 6	do 12 S 84 N 39
True line		80.00 Set post for corner of Ranges 4 & 5 Towns 7 & 8
East Between Towns 7 & 8 S. Oak 4 East		Sections 1, 6, 31, 36
43.50 gr. Sec. corner N. Oak 14 S 39 E 23		Oak 13 S 4 N 21
	do 20-43 N 15	Hickory 6 S 10 E 6
83.50 Set post corner of Sec. 31 & 32		Surveyed by John M. Donald D. S.
	Spine 13 S 72 N 23	
	do Oak 20 S 35 N 32	
East On the South Side of Sec. 32		
40.00 gr. Sec. corner Beech 12 S 20 E 6		
	Hickory 20 S 11 E 13	
80.00 Set post corner of Sec. 32, 33		
	Maple 8 S 51 N 18	
	N. Oak 18 S 37 E 14	
East On the South Side of Sec. 34		
40.00 gr. Sec. corner do Oak 10 S 25 E 24		
	do 8 S 75 E 21	



# Subdivisions of Township 8 N R 14 East

North Between Sec. 35 & 36 Aug. 22<sup>nd</sup> 1880

4.70 A. W. Oak 15 in. diam.  
20.78 H. Spruce Oak 26 in. diam.  
28.50 A. Oak 10 lbs S & E

40.00 gr. Sec. corner Beech 14 N 86 E 24  
do 10 S 87 W 20 1/2

50.00 Set post corner of Sec. 25, 26, 35, 36

W. Oak 18 corner tree  
No other tree noted

First 1/2 mile flat. Beech, W. Oak, red rolling.

W. Oak, Ang. 1<sup>st</sup> Oak, Jack & Lapsprins

East Between Sec. 25 & 36 On Randome

40.00 Temporary gr. Sec. post  
59.00 Graped Oak 15 lbs South  
79.70 Intersected Town Boundary 1.28 lbs South of corner

Land Rolling 2<sup>nd</sup> rate Beech, W. Oak, Dogwood

W. Oak, Ang. 1<sup>st</sup> Ironwood & Dogwood

West Corrected

17.96 A. Beech 14 in. diam.  
39.85 gr. Sec. corner W. Oak 30 S 13 E 13  
Beech 12 N 19 W 25

49.40 Section corner

North Between Sec. 25 & 26

6.25 A. W. Oak 18 in. diam.  
33.00 Graped A. Beech 8 lbs S. E  
40.00 gr. Sec. corner Beech 18 S 31 E 41

Maple 14 S 22 1/2 W 40

58.25 A. Poplar 18 in. diam.

80.00 Set post corner of Sec. 23, 24, 25, 26  
W. Oak 18 S 4 E 29  
Poplar 18 S 32 1/2 W 18

Land Hilly & very thickly of Dogwood, Hickory.

W. Oak, Red, Oak & Spruce vines. The timber is

Beech, W. Oak, Poplar, Gum & 3<sup>rd</sup> rate

East Between Sec. 24 & 25 On Randome

40.00 Temporary gr. Sec. post

29.00 Graped A. Beech 15 lbs South

51.50 Graped Same North

53.00 Graped Same South

80.00 Intersected Town line 2.05 lbs South of corner

Land Hilly & poor 3<sup>rd</sup> rate W. Oak, Hickory

Ang. 1<sup>st</sup> Ironwood

West Corrected

40.05 gr. Sec. corner Beech 15 S 19 W 9  
do 3 S 38 1/2 E 14

80.10 Section corner

North Between Sec. 23 & 24 Aug. 22<sup>nd</sup>

16.50 A. Sugar 12 in. diam.

24.00 Graped A. Beech 15 lbs S & E

34.30 A. Beech 15 in. diam.

40.00 gr. Sec. corner Dogwood 10 S 10 1/2 E 7  
Beech 10 S 27 1/2 E 23

50.00 A. W. Oak 48 in. diam.

80.00 Set post corner of Sec. 13, 14, 23, 24

Sugar 14 S 13 W 28

Beech 12 S 3 W 4

Land Rolling 2<sup>nd</sup> rate Beech, W. Oak, Hickory.

Poplar, Sugar, Ang. 1<sup>st</sup> Ironwood & Dogwood

East Between Sec. 13 & 24 On Randome

40.00 Temporary gr. Sec. post

80.26 Intersected Town line 2.48 lbs South of corner

Land same Beech, Poplar, W. Oak, Dogwood & 3<sup>rd</sup> rate

West Corrected

13.20 A. Beech 18 in. diam.

18.70 A. Hickory 18 in. diam.

40.13 gr. Sec. corner Beech 6 S 58 W 11

do 10 S 82 E 7

45.70 A. Beech 24 in. diam.

80.26 Section corner

North Between Sec. 13 & 14

40.00 gr. Sec. corner W. Oak 18 S 43 W 10

Beech 4 S 21 W 13

52.96 A. Beech 14 in. diam.

65.50 Graped A. Beech 5 lbs East

80.00 Set post corner of Sec. 11, 12, 13, 14

Jan 17 1884 W 7

Beech 14 S 13 E 10

Land Rolling 2<sup>nd</sup> rate W. Oak, Beech, Poplar.

Gum, Ang. 1<sup>st</sup> Ironwood & Green, birch

East Between Sec. 12 & 13 On Randome

40.00 Temporary gr. Sec. post

66.50 Graped A. Beech 15 lbs S. E

80.50 Intersected Town line 2.90 lbs South of post

Land with rolling Beech, W. Oak, Poplar, Dogwood & 3<sup>rd</sup> rate

West Corrected

40.25 gr. Sec. corner Beech 15 S 8 E 7

do 14 S 71 W 2 1/2

80.50 Section corner

North Between Sec. 11 & 12

34.20 A. B. Oak 24 in. diam.

40.00 gr. Sec. corner Beech 12 S 7 W 6

do 14 S 4 E 34

80.50 Graped A. Beech 18 lbs S. E

77.78 A. W. Oak 20 in. diam.

80.00 Set post corner of Sec. 1, 2, 11, 12

W. Oak 24 S 7 W 22

do 18 S 7 E 9

Rolling 2<sup>nd</sup> rate Beech, W. Oak, Hickory, Gum & Dogwood

East Between Sec. 1 & 12 On Randome

40.00 Temporary gr. Sec. post

80.81 Intersected Town line 3.28 lbs South of post

First 1/2 mile very hilly. Chest, W. Oak, Oak

last 1/2 level land 2<sup>nd</sup> rate Beech, Poplar

W. Oak, Ang. 1<sup>st</sup> Dogwood, Ironwood

West Corrected Between Sec. 1 & 12

3.60 A. Beech 14 in. diam.

40.10 gr. Sec. corner Ironwood 4 S 20 1/2 E 16 1/2

Beech 24 S 24 W 25

80.81 Section corner

North Between Sec. 1 & 2 Aug. 24<sup>th</sup>

18.80 A. W. Oak 18 in. diam.

40.00 gr. Sec. corner Chest Oak 24 S 45 E 25

B. Oak 20 S 76 W 30

79.00 A. Beech 18 in. diam.

88.14 Intersected Town line 1.54 lbs West of post

Beech 12 S 1 E 15

Hickory 14 S 83 E 2 1/2

Land Hilly high 1<sup>st</sup> rate W. Oak, Hickory, Beech, some

large thickets of Ironwood, Lapsprins & Green, birch

North Between Sec. 34 & 35

24.63 A. B. Oak 14 in. diam.

40.00 gr. Sec. corner W. Oak 18 S 4 E 16

do 18 S 89 W 31

46.40 A. W. Oak 15 in. diam.

68.00 Graped A. Beech 8 lbs East

80.00 Set post corner to Sec. 26, 27, 34, 35

W. Oak 14 S 35 W 25

Beech 10 S 87 E 2 1/2

Land same. Chest, W. Oak, Oak & 3<sup>rd</sup> rate

East Between Sec. 26 & 35 On Randome

40.00 Temporary gr. Sec. post

79.60 Intersected Sec. line 7 lbs South of post

Rolling 3<sup>rd</sup> rate W. Oak, Oak, Hickory, thick Ang. 1<sup>st</sup>

West Corrected

1.50 A. W. Oak 14 in. diam.

13.00 A. W. Oak 15 in. diam.

39.80 gr. Sec. corner W. Oak 18 S 81 W 24

Maple 12 S 41 1/2 E 26

79.60 Section corner



North Between Sec<sup>s</sup> 26 & 27  
 7.70 A. W. Oak 15 in. diam.  
 40.00 gr. Sec. corner M. Oak 12 North 15  
 do 18 S 15 E 39  
 45.50 A. W. Oak 15 in. diam.  
 50.00 Set post corner of Sec<sup>s</sup> 22, 23, 26, 27  
 M. Oak 6 S 55 W 25  
 Dogwood 5 S 45 W 14  
 Sand Broken 3<sup>rd</sup> rate. M. Oak, Oak, Hickory, Dogwood, Sassafras  
 East Between Sec<sup>s</sup> 23 & 26 On Wanders  
 40.00 Temporary gr. Sec. post  
 49.58 Intersected Sec. line 54 lbs North of Sec. corner  
 Sand Hilly & very thickly M. Oak, Oak, Birch, Dogwood, Gum  
 Dogwood, Ironwood & plenty of green birch  
 West corrected  
 4.12 A. W. Oak 20 in. diam.  
 39.79 gr. Sec. corner Gum 15 S 54 W 29 1/2  
 B. Oak 24 S 55 E 25  
 49.58 Section corner  
 North Between Sec<sup>s</sup> 22 & 23  
 13.50 bro. sub A. Brooks 8 lbs East  
 14.50 A. B. Oak 14 in. diam.  
 28.80 A. W. Oak 24 in. diam.  
 33.00 bro. sub A. Brooks 5 lbs S. E  
 40.00 gr. Sec. corner M. Oak 24 S 12 E 35  
 do 20 S 65 1/2 E 2 1/2  
 53.06 A. W. Oak 30 in. diam.  
 60.00 bro. sub A. Brooks 15 lbs S. E  
 80.00 Set post corner to Sec<sup>s</sup> 14, 15, 22, 23  
 Beech 14 S 41 E 19  
 do 13 S 27 E 15 1/2  
 Sand Hilly and covered with almost impenetrable  
 thickets of Ironwood, Dogwood, M. Oak, B. Oak,  
 Spruce Vines & green birch. Sand 3<sup>rd</sup> rate

East Between Sec<sup>s</sup> 14 & 23 On Wanders  
 40.00 Temporary gr. Sec. post  
 15.00 bro. sub Brooks 10 lbs S 80 E  
 28.50 bro. sub Brooks 8 lbs South  
 80.00 Intersected Sec. line 17 lbs North of corner  
 Sand Hilly 3<sup>rd</sup> rate. M. Oak, B. Oak, Dogwood  
 West corrected  
 40.00 gr. Sec. corner Beech 18 S 84 W 16  
 Sugar 9 S 34 E 26  
 80.00 Section corner  
 North Between Sec<sup>s</sup> 14 & 15 Aug<sup>st</sup> 25<sup>th</sup>  
 7.55 A. W. Oak 24 in. diam.  
 13.50 bro. sub A. Brooks 8 lbs S 70 E  
 40.00 gr. Sec. corner M. Oak 14 S 33 W 22 1/2  
 do 25 S 55 E 34  
 59.40 A. Gum 24 in. diam.  
 80.00 Set post corner of Sec<sup>s</sup> 10, 11, 14, 15  
 M. Oak 14 S 29 E 13  
 Dogwood 3 S 6 W 24  
 Sand Very broken 3<sup>rd</sup> rate. M. Oak, Oak,  
 Beech, Gum, Dogwood, Ironwood, Birches  
 East Between Sec<sup>s</sup> 11 & 14 On Wanders  
 40.00 Temporary gr. Sec. post  
 49.70 Intersected Sec. line 23 lbs North of post  
 Sand Broken 3<sup>rd</sup> rate. M. Oak, Oak, Beech, Gum  
 West corrected  
 8.80 A. Poplar 40 in. diam.  
 39.85 gr. Sec. corner Hickory 5 S 11 W 20  
 do 3 S 77 1/2 E 15  
 49.40 Section corner  
 North Between Sec<sup>s</sup> 10 & 11  
 30.12 A. Sugar 14 in. diam.  
 30.70 bro. sub A. Brooks 10 lbs S. W  
 40.00 gr. Sec. corner Beech 12 S 87 1/2 W 4  
 M. Oak 26 S 44 1/2 W 10

49.14 A. Beech 14 in. diam.  
 80.00 Set post corner of Sec<sup>s</sup> 2, 3, 10, 11  
 Ches. Oak 14 S 35 E 14  
 do 7 S 28 W 17 1/2  
 Sand Very hilly & poor. M. Oak, Oak, Hickory  
 Some Beech - Aug<sup>st</sup> 13. Oak, Hickory, birch  
 East Between Sec<sup>s</sup> 2 & 11 On Wanders  
 37.00 bro. sub Brooks 18 lbs South  
 40.00 Temporary gr. Sec. post  
 49.90 Intersected Sec. line 50 lbs North of post  
 Sand on this side is composed of two  
 high hills & very thickly. Ches. Oak, B. Oak  
 West corrected  
 39.95 gr. Sec. corner M. Oak 24 S 15 W 16  
 Hickory 5 S 86 1/2 W 24  
 49.90 Section corner  
 North Between Sec<sup>s</sup> 2 & 3  
 40.00 gr. Sec. corner Dogwood 6 S 73 1/2 E 14  
 Sassafras 4 S 63 W 5  
 55.68 A. W. Oak 20 in. diam.  
 70.60 A. B. Oak 20 in. diam.  
 87.36 Intersected Town line 22 lbs West of post  
 M. Oak 18 North 11  
 Dogwood 6 S 30 1/2 E 28  
 Sand Rolling 2<sup>nd</sup> rate. M. Oak, Oak, Beech,  
 Poplar, Ash & Open Woods  
 North Between Sec<sup>s</sup> 33 & 34 Aug<sup>st</sup> 25<sup>th</sup>  
 40.00 gr. Sec. corner M. Oak 14 S 30 1/2 E 18 1/2  
 Gum 10 S 33 W 21  
 80.00 Set post corner to Sec<sup>s</sup> 27, 28, 33, 34  
 Ches. Oak - M. W. 44 1/2  
 do - S 54 E 4  
 Sand Hilly & poor. Thinly timbered  
 with Ches. Oak - Aug<sup>st</sup> Sassafras,  
 B. Oak, Sugar & Hickory  
 East Between Sec<sup>s</sup> 27 & 34 On Wanders  
 40.00 Temporary gr. Sec. post  
 79.00 bro. sub A. Brooks 10 lbs South  
 79.70 Intersected Sec. line 56 lbs South of post  
 Sand Hilly & steep broken in ledges poor. M. Oak  
 Ches. Oak, Hickory - Aug<sup>st</sup> Sassafras, Spruce Vines & Birches  
 West corrected  
 6.68 A. Gum 12 in. diam.  
 39.85 gr. Sec. corner M. Oak 12 S 40 E 21  
 do 14 S 35 W 6  
 49.70 Section corner  
 North Between Sec<sup>s</sup> 27 & 28  
 14.60 A. Ches. Oak 20 in. diam.  
 40.00 gr. Sec. corner Maple 13 S 29 E 21  
 do 12 S 40 W 27  
 53.85 A. Gum 15 in. diam.  
 80.00 Set post corner of Sec<sup>s</sup> 21, 22, 27, 28  
 Ches. Oak 11 S 87 1/2 W 15  
 do 12 S 66 E 20  
 Sand Hilly & poor. M. Oak, Oak, Aug<sup>st</sup> Oak & Birches  
 East Between Sec<sup>s</sup> 22 & 27 On Wanders  
 40.00 Temporary gr. Sec. post  
 49.65 Intersected Sec. line 102 lbs South of post  
 Sand Very Hilly & steep 3<sup>rd</sup> rate. M. Oak, Oak, Hickory  
 West corrected  
 39.73 A. W. Oak 18 in. diam.  
 39.82 1/2 gr. Sec. corner M. Oak 18 East 9 1/2  
 Ches. Oak 12 S 26 1/2 W 9  
 49.65 Section corner  
 North Between Sec<sup>s</sup> 21 & 22  
 3.80 A. Ches. Oak 15 in. diam.  
 39.20 A. Beech 15 in. diam.  
 40.00 gr. Sec. corner Beech 14 S 80 E 4  
 do 14 S 10 E 40 1/2  
 40.50 bro. sub Brooks 8 lbs East



47.26 H. N. Oak 15 in. diam.  
 80.00 Set post corner of Sec: 15. 16. 21. 22  
 B. Oak 18 St 33 N 12  
 Hickory 4 St 70 E 21  
 Land: Hilly 3<sup>rd</sup> rate. Chas. Oak. N. Oak. B. Oak. Beech  
 East Between Sec: 15 & 22 On Dandow  
 40.00 Temporary g<sup>o</sup>. Sec. post  
 79.60 Intersected Sec. line 70 lks South of post  
 Extremely Hilly. Beech. Oak. Hickory. Sugar. Hing. Ironwood.  
 West Corrected Aug. 24<sup>th</sup>  
 39.80 g<sup>o</sup>. Sec. corner Beech 12 St 40 N 40  
 clo 14 St 34 E 21  
 79.60 Section corner  
 North Between Sec: 15 & 16  
 29.85 H. Gum 14 in. diam.  
 40.00 g<sup>o</sup>. Sec. corner Beech 13 St 51 $\frac{1}{2}$  N 25  
 clo 12 St 40 E 6  
 62.08 H. Poplar 24 in. diam.  
 80.00 Set post corner of Sec: 9. 10. 15. 16  
 N. Oak 24 St 35 E 10  
 Sugar 13 St 59 N 34  
 Very Hilly & Stony. N. Oak. Beech. Poplar. Some Sugar  
 Hing. Ironwood. Some Spruce 3<sup>rd</sup> rate  
 East Between Sec: 10 & 15 On Dandow  
 39.00 Crossed A. Brook 10 lks North  
 40.00 Temporary g<sup>o</sup>. Sec. post  
 79.40 Intersected Sec. line 40 lks South of post  
 Land & Timber Similar  
 West Corrected  
 38.99 H. N. Oak 20 in. diam.  
 39.70 g<sup>o</sup>. Sec. corner Sugar 10 St 81 E 28  
 Beech 14 St 55 $\frac{1}{2}$  N 17  
 79.40 Section corner

North Between Sec: 9 & 10  
 7.76 H. Beech 18 in. diam.  
 9.50 H. Poplar 18 in. diam.  
 40.00 g<sup>o</sup>. Sec. corner Gum 10 St 60 E 36  
 N. Oak 24 St 47 N 34  
 58.50 Crossed A. Brook 20 lks N  
 80.00 Set post corner of Sec: 3. 4. 9. 10  
 N. Oak 12 St 48 N 20  
 Poplar 6 St 43 $\frac{1}{2}$  E 26  
 Land: Hilly High 3<sup>rd</sup> rate N. Oak. Beech. Oak.  
 Beech. Hickory. Hing. Ironwood. Green briars  
 East Between Sec: 3 & 10 On Dandow  
 27.50 Crossed Brook 20 lks South  
 40.00 Temporary g<sup>o</sup>. Sec. post  
 79.50 Intersected Sec. line 4 lks South of post  
 Land & Timber Same (but Stony)  
 West Corrected  
 39.75 g<sup>o</sup>. Sec. corner Sugar 12 St 16 N 12 $\frac{1}{2}$   
 clo 12 West 24  
 79.50 Section corner  
 North Between Sec: 3 & 4  
 18.00 Crossed A. Brook 10 lks S 20 N  
 21.13 Beech 14 in. diam.  
 40.00 Set g<sup>o</sup>. Sec. corner N. Oak 10 St 61 E 32  
 clo 18 St 63 $\frac{1}{2}$  E 17 $\frac{1}{2}$   
 87.00 Intersected Sec. line 72 lks East of post  
 N. Oak 14 St 66 N 43  
 B. Oak 26 St 82 N 34  
 Land: Very Hilly & Stony & thickly N. Oak.  
 Hickory. Beech. Poplar. Hing. Sassafras 3<sup>rd</sup> rate  
 North Between Sec: 32 & 33 Aug 28<sup>th</sup> 89  
 11.00 Crossed A. Brook 10 lks S 20 N  
 11.48 H. N. Oak 18 in. diam.  
 40.00 g<sup>o</sup>. Sec. corner Hickory 12 North 23  
 N. Oak 18 St 25 N 27 $\frac{1}{2}$

73.50 H. Poplar 30 in. diam.  
 80.00 Set post corner of Sec: 28. 29. 32. 33  
 B. Oak 14 St 73 E 8  
 N. Oak 12 St 66 N 7 $\frac{1}{2}$   
 Land: Rolling 3<sup>rd</sup> rate N. Oak. B. Oak. Gum. Beech.  
 Poplar. Hing. Ironwood. Greenwood  
 East Between Sec: 28 & 33 On Dandow  
 40.00 Temporary g<sup>o</sup>. Sec. post  
 78.80 Intersected Sec. line 6 $\frac{1}{2}$  lks South of post  
 Land: Hilly. Beech. B. Oak. Hickory. Sassafras.  
 West Corrected  
 19.80 H. N. Oak 14 in. diam.  
 39.43 g<sup>o</sup>. Sec. corner Gum 14 St 74 N 9  
 Dogwood 3 St 62 E 7  
 78.86 Section corner  
 North Between Sec: 28 & 29  
 6.22 H. Poplar 26 in. diam.  
 27.86 H. Oak. Oak 18 in. diam.  
 33.00 Crossed A. Brook 10 lks West  
 40.00 g<sup>o</sup>. Sec. corner Maple 12 St 38 E 22  
 Beech 12 St 43 N 27  
 80.00 Set post corner of Sec: 20. 21. 28. 29  
 Gum. Oak 20 St 80 $\frac{1}{2}$  E 40  
 Dogwood 3 St 84 N 22  
 Land & Timber Same  
 East Between Sec: 21 & 28 On Dandow  
 40.00 Temporary g<sup>o</sup>. Sec. post  
 78.75 Intersected Sec. line 25 lks South of post  
 Land: Hilly. 3<sup>rd</sup> rate. N. Oak. Chas. Oak. Hickory.  
 Gum. Hing. Sassafras. Bk. Oak. Green briars  
 West Corrected  
 37.64 H. Poplar 24 in. diam.  
 39.37 $\frac{1}{2}$  g<sup>o</sup>. Sec. corner Ironwood 4 St 83 E 7  
 clo 8 St 66 N 25  
 78.75 Section corner

North Between Sec: 20 & 21  
 27.44 H. N. Oak 14 in. diam.  
 40.00 g<sup>o</sup>. Sec. corner Beech 12 St 37 $\frac{1}{2}$  N 19  
 clo 10 St 54 E 31  
 67.00 H. B. Oak 20 in. diam.  
 80.00 Set post corner of Sec: 16. 17. 20. 21  
 Beech 15 St 13 N 13  
 clo 12 St 79 E 20  
 Land: Very Hilly & Rocky. 3<sup>rd</sup> rate. N. Oak. Beech. Hickory. Beech.  
 Hing. Ironwood. Dogwood. Sassafras.  
 East Between Sec: 16 & 21 On Dandow  
 40.00 Temporary g<sup>o</sup>. Sec. post  
 78.80 Intersected Sec. line 74 lks South of post  
 Land & Timber Similar Aug. 29<sup>th</sup>  
 West Corrected  
 39.43 g<sup>o</sup>. Sec. corner Ash 18 East 47 $\frac{1}{2}$   
 N. Oak 18 St 61 N 21  
 78.86 Section corner  
 North Between Sec: 16 & 17  
 19.00 H. N. Oak 20 in. diam.  
 39.50 Crossed A. Brook 10 lks N. N.  
 40.00 g<sup>o</sup>. Sec. corner Hickory 6 St 57 $\frac{1}{2}$  N 24  
 Poplar 10 St 86 $\frac{1}{2}$  E 14 $\frac{1}{2}$   
 54.70 H. Hickory 28 in. diam.  
 80.00 Set post corner of Sec: 8. 9. 16. 17  
 N. Oak 18 St 63 N 31  
 clo 18 St 32 E 7  
 Land: Composed of two high hills, half mile East  
 Very high N. Oak. Beech. Hickory. Beech. Chas. Oak.  
 East Between Sec: 9 & 16 On Dandow  
 3.00 Crossed A. Brook 10 lks South  
 40.00 Temporary g<sup>o</sup>. Sec. post  
 79.00 Intersected Sec. line 16 lks South of post  
 Land: Very Hilly & Rocky. High entirely a thicket of  
 Sassafras. Grape vines & green briars. N. Oak.  
 Poplar. Gum.



West Corrected Between Sec. 9 & 10  
 8.00 A. B. Oak 18 in. diam.  
 39.50 q. Sec. corner Oak 30 ft 7 1/2 E 8  
 W. Oak 24 ft 7 1/2 W 45  
 79.00 Section corner  
 North Between Sec. 8 & 9  
 38.25 H. Gum 18 in. diam.  
 40.00 q. Sec. corner Oak 6 ft 4 1/2 W 5 1/2  
 Sapodras 8 ft 6 1/2 E 34  
 56.20 H. Beech 18 in. diam.  
 80.00 Set post corner of Sec. 4, 5, 8, 9  
 W. Oak 18 ft 7 W 35  
 Beech 14 ft 28 W 45  
 Land Hilly & very thickly W. B. Oak. Some Beech  
 & Sugar. Gum. Along the front of woods. Hazel & China Spruce  
 East Between Sec. 4 & 9 On Grandeur  
 40.00 Temporary q. Sec. post  
 58.00 Crooked A. Beech 20 lbs N 11  
 68.00 Same. Beech S. W  
 79.00 Intersected Sec. line 1.03 lbs South of post  
 Land Broken & Hilly. Light & Soft. W. B. Oak. Hickory  
 Beech. Gum. Along the Dogwood & Ironwood  
 West Corrected  
 39.50 q. Sec. corner W. Oak 20 ft 88 W 12 1/2  
 Beech 12 ft 53 E 30  
 79.00 Section corner  
 North Between Sec. 4 & 5  
 13.50 Crooked A. Beech 20 lbs West  
 18.70 H. Poplar 20 in. diam.  
 40.00 q. Sec. corner W. Oak 18 ft 4 1/2 W 20  
 Hickory 6 ft 3 1/2 E 21  
 57.40 A. M. Oak 18 in. diam.  
 66.00 Crooked A. Beech 25 lbs West  
 86.70 Intersected Sec. line 1.07 lbs East of post  
 Sugar 14 ft 44 W 18  
 Beech 6 ft 72 E 23  
 Hilly. Beech. W. B. Oak. Gum. Sugar. & Oak

North Between Sec. 31 & 32 Aug. 30 the  
 18.24 A. B. Oak 18 in. diam.  
 40.00 q. Sec. corner Dogwood 4 ft 24 E 22  
 do 3 ft 49 W 17  
 59.88 A. M. Oak 14 in. diam.  
 80.00 Set post corner of Sec. 29, 30, 31, 32  
 W. Oak 15 ft 15 E 17  
 Dogwood 3 ft 39 W 10  
 Land Rolling & water W. B. Oak. Hickory. Ash. Beech.  
 Along the Dogwood. Sapodras. Oak. Birch &  
 East Between Sec. 29 & 32 On Grandeur  
 40.00 Temporary q. Sec. post  
 79.56 Intersected Sec. line 41 lbs South of corner  
 Land & timber same  
 West Corrected  
 39.78 q. Sec. corner W. Oak 12 ft 37 W 14  
 Dogwood 4 ft 5 E 20  
 79.56 Section corner  
 West Between Sec. 30 & 31  
 15.70 A. M. Oak 18 in. diam.  
 40.00 q. Sec. corner Hickory 12 ft 55 1/2 W 18  
 do 8 ft 34 E 15  
 55.28 A. B. Walnut 14 in. diam.  
 82.24 Intersected Sec. line 9 lbs North of post  
 Land Hilly. W. B. Oak. Hickory. Gum. Beech &  
 W. Oak 18 ft 35 E 37  
 do 18 ft 37 W 39  
 North Between Sec. 29 & 30  
 40.00 q. Sec. corner Ironwood 7 ft 88 W 10  
 do 5 ft 33 E 7  
 69.55 A. M. Oak 14 in. diam.  
 80.00 Set post corner of Sec. 19, 20, 29, 30  
 Hickory 6 ft 75 E 7 1/2  
 W. Oak 4 ft 37 1/2 W 7  
 Land Rolling - timber same

East Between Sec. 20 & 29 On Grandeur  
 25.50 Crooked A. Beech 10 lbs North  
 40.00 Temporary q. Sec. post  
 80.40 Intersected Sec. line 6 lbs North of post  
 Land Hilly. W. B. Oak. Hickory. Gum. Beech. Along the  
 Dogwood & Ironwood  
 West Corrected  
 32.35 A. M. Oak 18 in. diam.  
 40.00 q. Sec. corner W. Oak 11 ft 89 E 40  
 Beech 15 ft 63 W 25  
 80.40 Section corner  
 West Between Sec. 19 & 30  
 40.00 q. Sec. corner Hickory 14 ft 15 E 14  
 Dogwood 4 ft 5 1/2 E 16  
 64.43 H. Hickory 12 in. diam.  
 82.70 Intersected Sec. line 1.07 lbs North of post  
 Sugar 12 ft 16 W 25  
 Maple 18 ft 41 E 35  
 Hilly & water W. B. Oak. Hickory. Gum. Beech. Ironwood  
 North Between Sec. 19 & 20 Aug. 31 the  
 17.25 H. Beech 15 in. diam.  
 40.00 q. Sec. corner Beech 8 ft 40 E 23  
 Sugar 12 ft 40 W 4  
 79.50 Crooked A. Beech 20 lbs N 20 E  
 73.50 A. Spicewood 18 in. diam.  
 74.50 Crooked Same Beech N 20 W  
 80.10 Set post corner of Sec. 17, 18, 19, 20  
 Beech 6 ft 66 W 14  
 do 6 ft 70 E 38  
 Land mountainous high. Spruces. Oak. Gum.  
 & Sugar. W. B. Oak. Beech. Hickory. Sugar. Along the  
 W. Oak. Beech. Sugar. Hickory &  
 East Between Sec. 17 & 20 On Grandeur  
 40.00 Temporary q. Sec. post  
 59.00 Crooked A. Beech 15 lbs North

80.30 Intersected Sec. line 71 lbs North of post  
 Land & timber same as before  
 West Corrected  
 14.65 A. Poplar 36 in. diam.  
 40.15 q. Sec. corner Beech 13 ft 5 1/2 E 32  
 do 15 ft 33 E 26  
 80.30 Section corner  
 West Between Sec. 18 & 19  
 5.00 Crooked A. Beech 15 lbs North  
 7.70 A. B. Oak 24 in. diam.  
 40.00 q. Sec. corner Ironwood 4 ft 54 W 17 1/2  
 Beech 12 ft 49 E 21  
 47.95 A. B. Oak 18 in. diam.  
 80.26 Intersected Sec. line 200 lbs North of post  
 W. Oak 15 ft 10 E 36  
 Pin Oak 3 ft 5 E 23  
 Land & timber same  
 North Between Sec. 17 & 18  
 12.46 H. Hickory 18 in. diam.  
 37.00 Crooked A. Beech 20 lbs N 20 & West.  
 40.00 q. Sec. corner Sugar 12 ft 29 W 29  
 do 12 ft 50 E 15  
 49.00 Crooked A. Beech 25 lbs West  
 71.50 Crooked A. Beech 10 lbs S 20 E  
 80.00 Set post corner of Sec. 7, 8, 17, 18  
 W. Oak 14 ft 31 W 16 1/2  
 Sugar 10 ft 20 1/2 W 36  
 Land level & water. Along the branches. W. Oak. Beech.  
 Sugar. Ash & Along the Spruce  
 East Between Sec. 18 & 19 On Grandeur  
 23.50 Crooked A. Beech 25 lbs S 10 W  
 40.00 Temporary q. Sec. post  
 80.00 Intersected Sec. line 1.74 lbs North of post  
 Land very Hilly & along W. B. Oak. Beech. Oak. Beech.  
 Hickory. Along the Sapodras & Dogwood & water



West Corrected Between Sec<sup>s</sup> 8 & 17

8.20 H. M. Oak 15 in. diam.

10.00 gr. Sec. Corner B. Oak 24 N 21 W 44  
Nichols 8 S 21 N 23

80.00 Section Corner

West Between Sec<sup>s</sup> 7 & 18

4.68 H. Sycamore 30 in. diam.

5.00 Crossed A. Brook 5 lbs South

10.00 gr. Sec. Corner Beech 14 N 70 W 22  
H. Oak 14 N 66 E 20

14.55 A. B. Oak 18 in. diam.

70.00 Crossed A. Brook 5 lbs South

78.80 Intersected Town line 2.41 lbs North of post  
Dogwood 4 S 18 W 7  
H. Oak 12 N 72 W 42

Land Rolling, W. B. Oak, Beech, Spruce, Fir, Hemlock, Fir

North Between Sec<sup>s</sup> 7 & 8

36.95 H. M. Oak 14 in. diam.

10.00 gr. Sec. Corner H. Oak 14 N 12 E 25  
do 15 S 17 E 27

65.00 A. M. Oak 14 in. diam.

80.00 Set post corner to Sec<sup>s</sup> 5, 6, 7, 8

H. Oak 12 North 28

do 15 S 41 E 87

Land Billy, W. B. Oak, Spruce, Fir, Hemlock, Fir

East Between Sec<sup>s</sup> 5 & 8 on Random

18.50 Crossed a Brook 10 lbs South

10.00 Temporary gr. Sec. post

32.50 A. Brook 5 lbs S. E

67.00 A. Brook 20 lbs S. W

77.76 Intersected Sec. line 200 lbs North of post

Land Same thickly 3<sup>rd</sup> rate

West Corrected

32.08 H. M. Oak 18 in. diam.

39.88 gr. Sec. Corner H. Oak 26 S 49 W 42 1/2  
Nichols 10 S 42 E 15 1/2

77.76 Section Corner

West Between Sec<sup>s</sup> 6 & 7

21.54 H. M. Oak 18 in. diam.

26.50 Crossed A. Brook 5 lbs South

40.00 gr. Sec. Corner Nichols 8 N 76 W 22  
do 8 S 53 E 5

52.18 A. B. Oak 20 in. diam.

78.33 Intersected Town line 2.48 lbs North of post  
H. Oak 14 N 20 E 23

Spruce 15 S 9 E 33

Land Billy & Nichols 3<sup>rd</sup> rate, W. B. Oak,

Nichols, Dog, Spruce, Dogwood, Spruce, Fir

North Between Sec<sup>s</sup> 5 & 6

12.05 H. B. Oak 15 in. diam.

20.70 Crossed A. Brook 10 lbs East

40.00 gr. Sec. Corner Beech 6 N 12 W 6  
Spruce 4 S 35 E 22

55.50 Crossed A. Brook 8 lbs East

57.60 H. M. Oak 24 in. diam.

59.00 Crossed A. Brook 10 lbs S. E

88.92 Intersected Town boundary 1.14 lbs East  
of post B. Oak 6 S 35 1/2 W 79  
do 12 N 22 E 13

Land Billy 3<sup>rd</sup> rate, W. B. Oak, Nichols

Beech, Spruce, Dog, Dogwood, Spruce, Fir

Surveyed by W. B. Sealer D. S.